

Quantum numbers of the V^{3+} ion in V_2O_3

R.J. Radwański

*Center for Solid State Physics, S^nt Filip 5, 31-150 Kraków,
Institute of Physics, Pedagogical University, 30-084 Kraków, Poland.*

Z. Ropka

Center for Solid State Physics, S^nt Filip 5, 31-150 Kraków, Poland.

email: sfradwan@cyf-kr.edu.pl

Abstract

It is argued that the V^{3+} ion in V_2O_3 should be considered as described by quantum numbers $S=1$ and $L=3$. It results from Hund's rules and means that the two d electrons form the highly-correlated electron system with the importance of the intra-atomic spin-orbit coupling.

Keywords: highly-correlated electron system, crystal field, V^{3+} ion, spin-orbit coupling, Mott insulators

PACS: 71.70.E, 75.10.D, 75.30.Gw

Receipt date by Phys.Rev.Lett. 18.09.2000

V_2O_3 attracts the substantial scientific interest by more than 50 years. Despite of it there is still strong discussion about the description of its properties and its electronic structure. There is a long-standing controversy between an $S=1$ model without an orbital degeneracy [1] and the $S=1/2$ orbitally degenerate model of Castellani et al. [2].

Recently a new "orbitally degenerate spin-1 model for the insulating V_2O_3 " has been proposed in Ref. 3.

In all of these considerations it is agreed that V_2O_3 is antiferromagnet with the Neel temperature of 160 K. It has the corundum Al_2O_3 structure. It is agreed that V ions in the corundum structure sit in an O octahedron with a small trigonal distortion. It is also agreed that the V^{3+} ion has two d electrons [1-3]. The base for all theories is the description of the V^{3+} ion and its electronic structure.

The aim of this Letter is to point out that the V^{3+} ion in V_2O_3 should be described by the quantum numbers $S=1$ and $L=3$. It follows from the Hund's rules (two i.e. the maximal S and maximal L for two d electrons) [4].

We understand that Hund's rules are phenomenological rules but they are well-established in physics. They reflect intra-atomic interactions. Thus, the demand for keeping the Hund rules is equivalent to an idea that atoms preserve their internal atomic structure being the part of a solid. The V^{3+} ion has the $3d^2$ configuration. It means that these two electrons form the highly-correlated electronic system described by the resultant quantum numbers $S=1$ and $L=3$.

The electronic structure in the octahedral crystal field and in the presence of the intra-atomic spin-orbit coupling has been calculated by us in Ref. 5.

In conclusion, we claim that the V^{3+} ion in V_2O_3 should be considered as described by the quantum numbers $S=1$ and $L=3$. We are convinced that taking into account the orbital moment and the intra-atomic spin-orbit coupling is indispensable for the description of electronic and magnetic properties of V_2O_3 .

Email for correspondence: sfradwan@cyf-kr.edu.pl

REFERENCES

- [1] S.Yu.Ezhov, V.I.Anisimov, D.I.Khomskii and G.A.Sawatzky, Phys.Rev.Lett. 83, 4136 (1999).
- [2] C.Castellani, C.R.Natoli and J.Ranninger, Phys.Rev. B 18, 4945 (1978); 18, 4967 (1978); 18, 5001 (1978).
- [3] F.Mila, R.Shiina, F.-C.Zhang, A.Joshi, M.Ma, V.Anisimov and T.M.Rice, Phys.Rev.Lett. 85, 1714 (2000).
- [4] C.Kittel, in: Introduction to Solid State Physics (John Willey, 1976) ch. 14.
- [5] R.J.Radwanski and Z.Ropka, Relativistic effects in the electronic structure for the 3d paramagnetic ions, <http://xxx.lanl.gov/abs/cond-mat/9907140>.